

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PROZAM[®]

500SC HERBICIDE

ACTIVE CONSTITUENT:
500 g/L PROPYZAMIDE

SOLVENT:
42 g/L ETHYLENE GLYCOL

GROUP D HERBICIDE

For Selective Control of Certain Grasses and Broadleaf Weeds in Lettuce, Sports Turf, Home Lawns and Legumes Seed Crops and Pastures, as per the Direction for Use

IMPORTANT:
READ THIS LEAFLET BEFORE OPENING OR USING THIS PRODUCT

RELYON[®]

APVMA Approval No:
81795/112033

DIRECTIONS FOR USE

Situation	Weeds Controlled	State	Rate L/ha	Critical Comments
Lettuce Direct sown	Barnyard Grass, Blackberry Nightshade, Chickweed, Portulaca, Winter Grass, Ryegrass, Summer Grass, Wireweed, Prince of Wales Feather, Shepherd's Purse, Nettles	All States	4.5 in 330 – 550L	Apply pre-emergent, immediately after sowing. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4 cm of soil should be applied within 24 hours.
Lettuce Transplanted		VIC only	2.3 in 300 – 550L	Apply immediately after transplanting. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4 cm of soil should be applied within 24 hours.
Turf & Lawns	Winter Grass			Rate Bowling Green 37 x 37m
Common Couch		All States	1.2 (12mL /100m ²)	170mL
Queensland Blue Couch		QLD only	0.6 (6mL /100m ²)	85mL
Buffalo Grass		WA only	1.2 (12mL /100m ²)	170mL
Lucerne, Clover, Medics etc. grown for forage, hay or seed production	Annual Ryegrass, Winter Grass, Barley Grass, Silver Grass, Prairie Grass, Canary Grass, Great Brome, Squirrel Tail Fescue and Rats Tail Fescue	NSW, ACT, SA, WA, TAS only	1-1.5	SEEDLING CROPS: Apply after the third trifoliate leaf is fully developed. ESTABLISHED CROPS: Apply any time before the end of July. WEEDS: Apply when weeds are at post or pre-emergent stages.
	Wild Oats, Perennial Ryegrass, Bentgrass, English Couch, Yorkshire Fog Grass, Chickweed, seeding Sorrel, Blackberry Nightshade, Patterson's Curse, seedling Wireweed		1.5-2	BEST RESULTS: When applied during cool and moist conditions. Rain or irrigation is necessary to thoroughly wet the top 3 to 4 cm of soil. This is similar to 25mm rain. Use rates towards the higher end of the range on heavy soils, if conditions are not optimal or where a heavy grass population is expected. Grazing or cutting PRIOR to treatments is recommended.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**WITHOLDING PERIODS****DO NOT HARVEST, GRAZE OR CUT FOR STOCK FOOD OR FOR SEED FOR 25 DAYS AFTER APPLICATION****GENERAL INSTRUCTIONS**

Best results are obtained by applying the product to cool, wet soil.

MIXING

Prior to pouring, shake container vigorously, then add the required quantity of Prozam 500SC Herbicide to water in the spray vat while stirring or with agitators in motion. DO NOT mix with other pesticides.

GROUP D HERBICIDE**RESISTANT WEEDS WARNING**

Prozam 500SC Herbicide is a member of the benzamide group of herbicides with inhibition of microtubule assembly mode of action. For weed resistance management Prozam 500SC Herbicide is a Group D herbicide. Some naturally occurring weed biotypes resistant to Prozam 500SC Herbicide and other amide herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Prozam 500SC Herbicide or other Group D herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Relyon accepts no liability for any losses that may result from failure of Prozam 500SC Herbicide to control resistant weeds. Advice as to strategies and alternative treatments that can be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or Relyon representative.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT graze sheep on treated areas or feed to poultry or pigs.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions or from spraying equipment that may cause spray drift onto nearby susceptible plants/crops, cropping land or pastures.

STORAGE AND DISPOSAL**KEEP OUT OF REACH OF CHILDREN****Storage For All Containers**

Store in closed, original container in a dry, cool well-ventilated area. DO NOT store for prolonged periods in direct sunlight.

DISPOSAL**Recycled Containers**

This container can be recycled if it is clean, dry, free of visible residues and has the drum MUSTER logo visible. Triple or preferably pressure rinse containers before disposal. Dispose of rinsate by adding to the spray tank.

DO NOT dispose of undiluted chemicals on site. Wash outside of the container and cap. Stored cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at a drum MUSTER collection or similar container management site. The cap should not be replaced but taken separately.

Non-Recycled Containers

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. Break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Refillable Containers

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SMALL SPILL MANAGEMENT

Wear protective equipment (see SAFETY DIRECTIONS). Apply absorbent material such as earth, sand, clay granules or cat litter to the spill. Sweep up material for disposal when absorption is completed and contain in a refuse vessel for disposal (see STORAGE AND DISPOSAL section). If necessary wash the spill area with an alkali detergent and water and absorb the wash liquid for disposal.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow-length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a Doctor or phone the Australian Poisons Information Centre 13 11 26.

SAFETY DATA SHEET (SDS)

Additional information is listed in the Safety Data Sheet (SDS), which is available from the supplier.

CONDITIONS OF SALE

Any provisions or rights under the Australian Consumer Law, which cannot be excluded by law are not intended to be excluded by these conditions of sale. Subject to the foregoing, all warranties, conditions, rights and remedies expressed or implied under common law, statute or otherwise, in relation to the sale, supply, storage, use or application of this product are excluded. Ruralco Holdings Ltd and/or its associated entities shall not accept any liability (including consequential loss and/or negligence) for any loss or damage connected with the sale, supply, storage, use or application of this product except for liability, which cannot be excluded by statute.

May cause respiratory irritation. Suspected of causing cancer. Very toxic to aquatic life with long lasting effects**IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice. If skin/eye irritation occurs/persists: Get medical advice. Collect spillage. Not combustible. Use extinguishing media suited to burning materials.**

IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

RELYON®

Relyon (Australia) Pty Ltd
Level 5, Building A, 26 Talavera Road, Macquarie Park, NSW 2113
ABN 34 607 057 232 ACN 607 057 232 Phone (02) 9952 6666
relyonaustralia.com.au

©RELYON is a registered trademark of Ruralco Holdings Limited
©PROZAM is a registered trademark of Relyon (Australia) Pty Ltd